

L Number	Hits	Search Text	DB	Time stamp
1	1	("20020165963").PN.	USPAT; US-PGPUB	2004/06/21 14:05
4	2	("6157401") or ("6192243").PN.	USPAT	2004/06/21 12:04
5	7	("6157401") or ("6192243") or ("6081513") or ("6181786") or ("5995608") or ("5933417") or ("5903637").PN.	USPAT	2004/06/21 12:05
6	9736	(709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:18
9	170	conferencing and (resource near10 (scheduling or control or allocation)) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:30
10	8	(conferencing and (resource near10 (scheduling or control or allocation)) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) and maximum adj5 resources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:34
11	1	allocat\$3 with ((Multipoint adj Control or MCU) adj5 ports or (media adj5 server adj5 port)) with resources with conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:08
12	1	allocat\$3 with ((Multipoint adj (Control or network)) adj5 ports or (media adj5 server adj5 port)) with resources with conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:09
13	1	allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources with conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:10
14	10	allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:25
15	3	(allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:10
16	6	allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing and (dynamic or adaptive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:17
17	4	(allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing and (dynamic or adaptive)) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:26
18	18	allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:28

19	12	(allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:49
21	3	(allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:29
22	24	(schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:29
23	4	((schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:30
24	8	((conferencing and (resource with scheduling) and (((709/229   709/205   709/204) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or ((conferencing and (resource near10 (scheduling or control or allocation)) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) and maximum adj5 resources) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing and (dynamic or adaptive)) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or ((allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or (((schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)))) and maximum adj5 resources	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:35

25	36	((conferencing and (resource with scheduling) and (((709/229   709/205   709/204) or (709/227) or (709/226) or (709/223) or (709/200) or (709/104) or (709/102) or (709/100) or (705/8) or (705/7) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) or ((conferencing and (resource near10 (scheduling or control or allocation)) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) and maximum adj5 resources) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing and (dynamic or adaptive)) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or ((allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or (((schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)))) and statistic\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:35
26	19	((conferencing and (resource with scheduling) and (((709/229   709/205   709/204) or (709/227) or (709/226) or (709/223) or (709/200) or (709/104) or (709/102) or (709/100) or (705/8) or (705/7) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) or ((conferencing and (resource near10 (scheduling or control or allocation)) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) and maximum adj5 resources) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319))) or ((allocat\$3 with ((Multipoint adj (Control or network)) or (media adj5 server) ) with resources and conferencing and (dynamic or adaptive)) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or ((allocat\$3 with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)) or (((schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and ((709/204 or 709/205 or (709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS. and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)))) and statistic\$3 and (dynamic or adative) near10 resource	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 14:36

28	17	((schedul\$3 or reservation or allocat\$3) with ((multi adj point or Multipoint) or (media adj5 server) ) with resources and conferencing) and (@AD<20010319 or @PRAD<20010319 or @RLAD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/06/21 14:49
-	4803	((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.	USPAT	2002/05/06 14:22
-	4763	((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319)	USPAT	2002/05/07 15:44
-	1	(((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319)) and (multipoint adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/06/21 13:26
-	1434	dynamic\$4 with allocat\$4 and conferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:30
-	87	(((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319)) and (dynamic\$4 with allocat\$4 and conferenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:26
-	190	multipoint adj control with unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:29
-	1	((multipoint adj network) and (multipoint adj control with unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:29
-	0	((((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319)) and (dynamic\$4 with allocat\$4 and conferenc\$3)) and (multipoint adj control with unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:29
-	183	multipoint adj control adj unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/08 09:04
-	4	((multipoint adj control adj unit) and (((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 14:32
-	39	((multipoint adj control adj unit) and resource near5 (allocat\$4 or manag\$5 or control\$4) and conferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 17:23
-	4	statistic near3 model\$3 and (dynamic\$4 with allocat\$4 and conferenc\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 15:20
-	10	statistic near3 model\$3 and (resource or port) near3 allocat\$3 and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/05/06 15:24

-	10	statistic near3 model\$3 and (resource or port) with allocat\$3 and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:25
-	0	statistic near3 model\$3 and self-tuning and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:25
-	0	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (multipoint adj control adj unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:28
-	0	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (multipoint adj control with unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:28
-	0	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (multipoint adj network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:28
-	0	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:28
-	0	((multipoint adj control adj unit) and resource near5 (allocat\$4 or manag\$5 or control\$4) and conferenc\$3) and ((statistic or probabili\$4) and "self-tuning" and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:29
-	45	(statistic or probabili\$4) and "self-tuning" and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:05
-	25	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (allocat\$3 or assign\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:31
-	20	((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) not (((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) and (allocat\$3 or assign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 15:38
-	29	((multipoint adj control adj unit) and resource near5 (allocat\$4 or manag\$5 or control\$4) and conferenc\$3) and (@AD<20010319)	USPAT	2002/05/07 10:19
-	13	((multipoint adj control adj unit) and resource near5 (allocat\$4 or manag\$5 or control\$4) and conferenc\$3) and (@AD<20010319)) and (dynamic\$4 with allocat\$4 and conferenc\$3)	USPAT	2002/05/06 16:46
-	0	((multipoint adj control adj unit) and resource near5 (allocat\$4 or manag\$5 or control\$4) and conferenc\$3) and (@AD<20010319)) and (dynamic\$4 with allocat\$4 and conferenc\$3)) and (statistic near3 model\$3 and (resource or port) with allocat\$3 and (@AD<20010319))	USPAT	2002/05/06 16:46
-	70	(multipoint adj control adj unit) and (port or channel or resource) near5 (allocat\$4 or manag\$5 or control\$4 or schedul\$3 or assign\$4) and conferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 17:25

-	4	(multipoint adj control adj unit) and (port or channel or resource) near5 (allocat\$4 or manag\$5 or control\$4 or schedul\$3 or assign\$4) with initial and conferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/06 17:25
-	6	((multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 call\$3)) and (@AD<20010319)) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) with initial	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 10:28
-	2	((multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 call\$3)) and (@AD<20010319)) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) with (start or initial) with number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 10:32
-	96	(multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 call\$3)) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:06
-	96	(multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 talk)) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 11:12
-	12	(multipoint adj control adj unit) and provision\$3 near5 service and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:27
-	602	(allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:06
-	4	(statistic near3 model\$3 and (dynamic\$4 with allocat\$4 and conferenc\$3)) and (@AD<20010319)	USPAT	2002/05/07 15:32
-	5411	((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:45
-	28	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:58
-	0	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 "number of" near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:59
-	0	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (((((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))) and "number of"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:59

-	0	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and ((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 "numbers of" near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:59
-	0	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))) and "numbers of"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/07 16:00
-	213	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (equation or algorithm or model\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:06
-	17	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (equation or algorithm or model\$3)) and (((709/229 ) or (709/227 ) or (709/226 ) or (709/223 ) or (709/200 ) or (709/104 ) or (709/102 ) or (709/100 ) or (705/8 ) or (705/7 ) or (705/1)).CCLS.) and (@AD<20010319))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:02
-	4184	((709/223) or (709/226) or (709/227) or (370/329) or (370/341) or (370/431) or (455/450) or (455/464) or (455/444) or (455/509) or (455/518) or (455/519) or (455/520)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:03
-	3447	((709/223) or (709/226) or (709/227) or (370/329) or (370/341) or (370/431) or (455/450) or (455/464) or (455/444) or (455/509) or (455/518) or (455/519) or (455/520)).CCLS.) and (@AD <20010319)	USPAT	2002/05/08 09:04
-	237	multipoint adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:04
-	183	multipoint adj control adj unit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:05
-	45	(statistic or probabili\$4) and "self-tuning" and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:05
-	213	((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (equation or algorithm or model\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:24
-	602	(allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:10
-	96	(multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 call\$3)) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:10

-	7	(((((709/223) or (709/226) or (709/227) or (370/329) or (370/341) or (370/431) or (455/450) or (455/464) or (455/444) or (455/509) or (455/518) or (455/519) or (455/520)).CCLS.) and (@AD <20010319)) and ((multipoint adj network) or (multipoint adj control adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 13:45
-	56	(((((709/223) or (709/226) or (709/227) or (370/329) or (370/341) or (370/431) or (455/450) or (455/464) or (455/444) or (455/509) or (455/518) or (455/519) or (455/520)).CCLS.) and (@AD <20010319)) and (((statistic or probabili\$4) and "self-tuning" and (@AD<20010319)) or (((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) and (equation or algorithm or model\$3)) or ((allocat\$3 or reserv\$5 or assign\$4 or provision\$3) near5 number near3 (port or line or unit or channel) with (conferenc\$3 or service) and (@AD<20010319)) or ((multipoint adj control adj unit) and (call or resource or line or channel or port) near5 (allocat\$4 or manag\$5 or control\$4 or assign\$4 or reserv\$5) and (conferenc\$3 or (group near2 call\$3)) and (@AD<20010319)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/05/08 09:12
-	6	((("6157614" or ("6144856") or ("6144647") or ("6009331") or ("5697059") or ("4993014")).PN.	USPAT	2004/06/21 11:30
-	2	WO-9857485\$.did.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:18
-	115	conferencing and (resource with scheduling) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 13:28
-	11	(conferencing and (resource with scheduling) and (@AD<20010319)) and (multipoint or multi-point) adj2 conference and (resource with scheduling) and (@AD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:35
-	3	(conferencing and (resource with scheduling) and (@AD<20010319)) and (multipoint or multi-point) adj2 conference and (resource with scheduling) and (@PD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:28
-	186	conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:34
-	11	(conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (multipoint or multi-point) adj2 conference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:51
-	3	((conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (multipoint or multi-point) adj2 conference ) and (initial or start\$3) near3 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:48
-	3	((conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (multipoint or multi-point) adj2 conference ) and (initial or started or starting or starts or start) near3 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:49
-	40	(conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (initial or started or starting or starts or start) near3 (value or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:58



-	3	((conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (initial or started or starting or starts or start) near3 (value or number)) and (multipoint or multi-point) adj2 conference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:58
-	50	(conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (initial or started or starting or starts or start) near7 (value or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:58
-	3	((conferencing and (resource with (allocation or scheduling)) and (@PD<20010319)) and (initial or started or starting or starts or start) near7 (value or number)) and (multipoint or multi-point) adj2 conference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/11 08:58